BIODERMA LABORATOIRE DERMATOLOGIQUE

84%

OF CANCERS PATIENTS HAVE **CUTANEOUS SIDE EFFECTS LINK TO** THEIR CANCER CHEMOTHERAPY*

And what about you?







founder of BIODERMA, on www.naos.com





The skin represents a **dynamic ecosystem**, in interaction with its environment. However, this ecosystem is fragile and can, during certain treatments be **unbalanced**. Indeed, certain characteristics of the skin make it an organ specifically and frequently affected **during treatments or pathologies**.

Early intake is recommended to avoid worsening of symptoms and the risk of discontinuing treatment.

of cancers patients
have cutaneous side
effects link to their
cancer chemotherapy⁽¹⁾

57%

of the patients have been impacted in their daily activities⁽³⁾

95%

of the patients traited by radiotherapy develop radiation-induced dermatitis⁽²⁾

"It's a physically and psychologically difficult time. We're weakened on all fronts and skin problems are an additional burden.,,

Cancer patient

(1) Menon A, Handattu S, Shetty J, Girisha BS. Study of cutaneous adverseeffects of cancer chemotherapy. Clin Dermatol Rev2018;2:19-24. (2) Lacovelli, Nicola Alessandro et al. "Topical treatment of radiation-induced dermatitis: current issues and potential solutions." Drugs in context vol. 9 2020-4-7. 12 Jun. 2020, doi:10.7573/dic.2020-4-7.

(3) Cutaneous side effects from cancer treatments and impact on quality of life: patients' perspective. 2020.

ON YOUR SIDE SUPPORTED YOUR WEAKENED SKIN

Taking into account skin ecosystem, Laboratoire BIODERMA had **specifically developed** dermocosmetic products to address the needs of skin weakened by treatments (chemotherapy, radiotherapy,...) and pathologies **(cancer, diabetes, renal failure)**.

* MEDI-SECURE APPROACH

To develop **safe & efficient** products taking into account the specificities of skins weakened by treatments and pathologies.



Carefully selected ingredients

and active ingredients that are recognised by health professionals to quarantee optimum safety



Guaranteed results backed by clinical studies under medical and oncological supervision



Practical and hygienic

packaging to facilitate use and improve daily life

WHAT IS XEROSIS?

Xerosis is the medical term for abnormally **dry skin**. This name comes from the Greek word "xero," which means dry.⁽¹⁾ In cancer patients, dry skin can be a side effect of cancer treatments like chemotherapy, radiation therapy or surgery.

Symptoms:

Dry skin can be **rough, flaky, red**, and sometimes **painful**. It's often caused by not having enough oil and water in the layers of the skin.⁽²⁾

Onset times:

Xerosis occurs on average **3 to 4 weeks after the start** of oncological treatments, especially chemotherapy.⁽³⁾

of patients say that xerosis is disturbing⁽⁴⁾

(1) Dry skin. (n.d.).

Mayo Clinic Staff. (2016, October 27). Dry skin: Symptoms and causes

(3) M. Mailhot, "pharmacothérapie La prise en charge des toxicités cutanées induites par les inhibiteurs des récepteurs du facteur de croissance épidermique," v 45, pp. 246–260, 2012.

(4) Etat des lieux de la prise en charge des effets secondaires cutanés Rapport Final, Lyon, 5 juillet 2016.

DAILY ADVICE(5)









Atoderm Xereane

BIODERMA

Atoderm

Xereane

anticancéreux ou par le diabète

for skin dryness, particularly that caused by certain cancer reatments or by diabetes

Care first. X N A O S

5 FL.OZ.

Baume nourrissant

apaisant Accompagnement dermo-cosmétique des sécheresses cutanées notamment induites par certains traitements

Soothing

150 ml e

nourishing balm

Dermo-cosmetic care

Soothing nourishing balm for skin dried by some treatments or pathologies

CHEMOTHERAPY

Apply once or twice a day to face and/or body

> Suitable for adults and children from the age of 3

BALM THAT REDUCES SKIN DRYNESS AND ASSOCIATED DISCOMFORT **IMMEDIATELY & LASTINGLY**









INGREDIENTS



(1) Efficacy and tolerance assessment of ATODERM XEREANE on chemotherapy-induced xerosis

WHAT ABOUT HAND-FOOT SYNDROME?

Hand-foot syndrome is a skin disorder induced by chemotherapy and targeted therapies.

Symptoms:

It is manifested by **symmetrical lesions** on the palms of the hands and soles of the feet around the nail and on the edges.⁽¹⁾ The first reported symptoms start with a **tingling sensation**, followed by the appearance of a diffuse bright red area, sometimes accompanied by a well-defined and symmetrical swelling (edema) in the first level of Hand-Foot syndrome.

Onset times:

Appearance of symptoms within **the first 6 weeks after the first cycles of chemotherapy.** (2)
Early management is recommended.

Talk to your health care professional · He will be able to advise you

30_% ¹⁰60_%

of cases in patients developed Hand-foot syndrome⁽³⁾

(1) American Society of Clinical Oncology (ASCO).
(2) K.K. MILLER, L. GORCEY, B.N. MACLELLAN. Chemotherapy-induced hand-foot syndrome and nail changes: A review of clinical presentation, etiology, pathogene sis, and management. Journal of the American Academy of Dermatology. (2014). Vol. 71, pp. 787 794.
(3) Cutanous side affects of conferoils and syndromia.

DAILY ADVICE⁽⁴⁾



W sh

Wear wide-fitting shoed and cotton socks.

Use soft slippers and thick socks to reduce friction on your feet.



Wear loose fitting





Apply **skin care cream** once or twice a day.

Avoid sources

of heat

Don't



Avoid contact with harsh chemicals used in laundry detergents or household cleaning products.



Do not wash with overly **hot water**.

Atoderm Palmakera

Atoderm

Palmakera

Soin lissant apaisant Accompagnement dermo-cosmétique des mains et des pieds sujets aux desquamations et sensations d'inconfort notamment induites par certains traitements anticancéreux

Smoothing soothing care Dermo-cosmetic care for hands

and feet prone to desquamation

and feelings of discomfort, particularly

Care first. X N A O S 100 ml @ 3.4 FL.OZ.

caused by certain cancer treatments

ou par le diabète

or by diabetes

Smoothing soothing care for hands and feet prone to desquamation and feelings of discomfort caused by certain cancer treatments

CHEMOTHERAPY

Apply at least twice a day to affected areas Hands and feet(1)

> Suitable for adults and children from the age of 3

(1) Do not use in case of severe liver or kidner disorders. Do not apply to visibly altered or oozing skin. In the case of discomfort absence of expected effects or worsening of the skin condition. stop the applications, consult your doctor.

SKINCARE THAT TAKES CARE OF THE DISCOMFORT OF FRAGILE SKIN AND HAND AND FEET ALTERATIONS

REGENERATES THE SKIN AND KERATOLYTIC EFFECT **BIODERMA** (Urea >10%)

> **REDUCES PAIN & ITCHING** (Technology: Antalgicine)

REDUCES REDNESS & INFLAMMATION (Rhamnose, Mannitol, Xylitol)

Improvement or disappearing of the Hand-Foot syndrome < 1 month⁽²⁾

Relieves disconfort⁽²⁾









(2) Efficacy and tolerance assessment of ATODERM PALMAKERA on Hand- Foot syndrome.

WHAT ABOUT NON-OOZING LESIONS?

- Non-targeted therapies radiotherapy they occur dry Radiodermatitis in the days, weeks or first months, depending on the dose and the type of radiation used. They look like a red burning area with peeling.⁽¹⁾
- **Surgery** with a post-surgical **scarring**. The process depends on the individual healing capacity.⁽²⁾
- Targeted therapies and chemotherapy can occur moderate Hand-Foot syndrome.

Symptoms:

Skin irritation and scarring may occur on localized areas of the face or body. These alterations can be associated with sensations of discomfort and irritation that can make difficult daily activities.⁽³⁾

of patients treated with radiotherapy develop radiation-induced dermatitis⁽⁴⁾

(1) McQuestion M. Evidence-based skin care management in radiation therapy: clinical update. Semin Oncol Nurs. 2011;27:e1-e17.

(2) "DERMATO-INFO, Les Biopsies de peau'

(3) Evaluation de l'efficacité et de la tolérance de Cicabio Restor sur le syndrome main-pied de grade 2 induit par chimiothérapie - Géorgie - 2018-2019.

(4) Lacovelli, Nicola Alessandro et al. "Topical treatment of radiation-induced dermatitis: current issues and potential solutions." Drugs in context vol. 9 2020-4-7. 12
Jun. 2020, doi:10.7573/dic.2020-4-7.

DAILY ADVICE⁽⁵⁾

Superficial skin irritation and scars



Damaged hands and feet





Protect your hands during manual work.



Consult a **podiatrist**.

Cicabio Restor

Protective soothing care for skin weakened by some cancer treatments

CHEMOTHERAPY RADIOTHERAPY SURGERY

Apply twice a day

Suitable for adults and children

to affected areas

Face and body⁽¹⁾

from the age of 3

BIODERMA

Cicabio Restor

Soin apaisant protecteur

Accompagnement dermo-cosmétique des irritations cutanées superficielles et des cicatrices induites par certains traitements notamment anticancéreux

Protective soothing care

Dermo-cosmetic care for superficial skin irritations and scars caused by certain treatments, including those for cancer

Care first. X N A O S

100 ml e

3.4 FL.OZ.

(1) Do not use in case of severe liver or kidner disorders. Do not apply to visibly altered or oozing skin. In the case of discomfort absence of expected effects or worsening of the skin condition. stop the applications, consult your doctor.

SKINCARE THAT TAKES CARE OF THE DISCOMFORT OF FRAGILE SKIN AND NON-OOZING LESIONS: SCARS, RADIODERMATITIS, HAND-FOOT SYNDROME

HELPS HEALING

(D-Panthenol & Hyaluronic acid)

REDUCES PAIN & ITCHING

(Technology: Antalgicine)

REDUCES RISK OF INFECTIONS

(Capryloyl)

of the skin is repaired(2)

This product significantly reduces quickly and durably the sensations of discomfort(2)







INGREDIENTS



TESTED WITH ONCOLOGISTS

(2) Test consommateurs à grande échelle (IEC France - 180675RD-FR) -2018

WHAT ABOUT ACNEIFORM RACH?

The acneiform rash is a folliculitis. It is an inflammation of non-infectious origin of the follicles.⁽¹⁾

Symptoms:

The lesions can be **itching** and sometimes **painful**. They are located mainly in greasy areas like the face (especially the nose, cheeks, forehead and chin), the scalp, the neck and the shoulders and the upper trunk.⁽²⁾

Onset times:

This inflammation is a **major side effect of targeted therapies**.^(2,3) It occurs in the first few days after the first intravenous infusion and during the second week with oral administrations.⁽⁴⁾

Talk to your health care professional • He will be able to advise you

of cases in patients receiving targeted therapies⁽⁵⁾

(1) M. Segovia-Mendoza, M. E. González-González, D. Barrera, L. Díaz, and R. García-Becerra, "Efficacy and mechanism of action of the tyrosine kinase inhibitors gefitinib, lapatinib and neratinib in the treatment of HER2-positive breast cancer: preclinical and clinical evidence," Am. J. Cancer Res., vol. 5, no. 9, pp. 2531–61, 2015. (2) Association onco partage.

(3) NATIONAL CANCER INSTITUTE

(4) H. S., "Manifestations cutanées des inhibiteurs du récepteur du facteur de croissance épidermique," Ann Dermatol venereol, 2006. (5) Daily baseline skin care in the prevention, treatment, and supportive care of skin toxicity in oncology patients: recommendations from a multinational expert panel René-Jean Bernasdoun et al.

DAILY ADVICE(6)





Apply cream once or twice a day.



Dry yourself with a **towel**, clean at each use, **without rubbing**.



Avoid exposure to the sun





Do not pierce the pimples and avoid scratching. This could accentuate the skin rash.



Sensibio **Erycontrol**

Moisturising soothing cream for skin prone to sensitivity and superficial redness caused by cancer treatments

CHEMOTHERAPY

Apply twice a day

of the body (chest,

from the age of 3

Face and localized areas

shoulder, upper back)(1)

Suitable for adults and children

to affected areas

Sensibio

BIODERMA

Crème apaisante hydratante

Accompagnement dermo-cosmétique des peaux sujettes aux sensibilités et rougeurs superficielles induites par certains traitements notamment anticancéreux

Erycontrol

Soothing moisturising cream

Dermo-cosmetic care for skin prone to sensitivity and superficial redness caused by certain treatments, particularly cancer treatments

Care first. X N A O S

100 ml @ 3.4 FL.OZ.

(1) Do not use in case of severe liver or kidney disorders. Do not apply to visibly altered or oozing skin. In the case of discomfort absence of expected effects or worsening of the skin condition. stop the applications, consult your doctor.

SKINCARE THAT TAKES CARE OF THE DISCOMFORT OF SENSITIVE OVERHEATED AND DRY SKIN

REDUCES INDUCED INFLAMMATION AND SMOOTHES (Enoxolone) **REDUCES PAIN & ITCHING**

REDUCES REDNESS & INFLAMMATION

(Rhamnose, Mannitol, Xylitol)

(Technology: Antalgicine)

acneiform lesions(2)

inflammation(3









TESTED WITH ONCOLOGISTS

(2) Efficacy and tolerance assessment of SENSIBIO ERYCONTROL against acneiform skin lesions induced by anti-tumoral treatments. (3) Test consommateurs à grande échelle (IEC Bulgarie N°B190800RD) -2019.



"I had skin problems during almost all the chemotherapy"

"BY MY SIDE SUPPORTING MY WEAKENED SKIN"



Talk about it!

DISCOVER LINA'S TESTIMONIAL AND KNOW MORE ABOUT CANCER SKIN SIDE EFFECTS

★ MEDI-SECURE APPROACH

respects NAOS ecobiology principles to better preserve the skin ecosystem and to strengthen its natural mechanisms. Rather than over-treating the skin, it must learn how to function properly.

NAOS, SAS with a capital of & 43,474,650,R.C.S. Aix-en-Provence B535 236 418, 355 rue Pierre-Simon Laplace 13290 Aix-en-Provence. FM-AB(0333)Mai2022

