

INSTITUT
ESTHEDERM
PARIS

INTENSIVE HYALURONIC+



ACTIVATING BIOLOGICAL MECHANISMS ACROSS
MULTIPLE SKIN LEVELS TO REDUCE WRINKLES.

 **NAOS**
ECOBIOLOGY

INTENSIVE HYALURONIC+

A 2-MONTH CURE TO VISIBLY REDUCE
WRINKLES AND FINE LINES.



Serum



Creme



Eye
serum



Lip &
contour care

INTENSIVE HYALURONIC+ WRINKLE-FILLING SERUM

INDICATIONS

From age 25, as a 2-month program, several times a year.

INGREDIENTS

- Patented hyaluronic+ technology: 3 forms of hyaluronic acid + polyglutamic acid + 50 kda low-molecular-weight hyaluronic acid.
- Cellular Water technology.

GALENIC FORM

Ultra-lightweight aqua-gel texture.

INSTRUCTION FOR USE

2x daily application (morning and evening), face and neck.



30ML BOTTLE


(1) Clinical scoring, 33 women aged 36 to 50 with sensitive, dehydrated skin after 28 days of twice-daily application of INTENSIVE HYALURONIC+ SERUM (***) $p < 0.0001$, Wilcoxon test for wrinkles, Student's test for the smoothing effect).

(2) Photo of the best case assessed in a clinical study with instrumental measurement, among 33 women aged 36 to 50, sensitive skin, twice-daily application of INTENSIVE HYALURONIC+ SERUM for 28 days.

(3) Ex-vivo evaluation of Hyaluronic+ technology boosted with 50 kDa low-molecular-weight hyaluronic acid, assessed by hyaluronic acid immunostaining. Results on day 6 (Student's test **) $p < 0.01$.

CLINICAL EFFICACY AFTER 28 DAYS


CHANGE IN WRINKLES⁽¹⁾




EFFICACY ON CROW'S FEET WRINKLES⁽²⁾



SMOOTHING EFFECT⁽¹⁾



SIGNIFICANT INCREASE IN DERMAL AND EPIDERMAL HYALURONIC ACID⁽³⁾



PATENTED HYALURONIC+ TECHNOLOGY

THIS PATENTED TECHNOLOGY DRAWS ON EXPERT KNOWLEDGE OF HYALURONIC ACID AND POLYGLUTAMIC ACID, TO ENSURE OPTIMAL ANTI-WRINKLE EFFICACY IN ALL LAYERS.

HIGH MOLECULAR WEIGHT HYALURONIC ACID

SODIUM HYALURONATE

Immediate surface plumping

Remains on the skin surface and forms a non-occlusive film to moisturize and retain water in the epidermis

HYALURONIC ACID MICROSPHERES

ETHYLHEXYL PALMITATE,
TRIHYDROXYSTEARIN, SODIUM
HYALURONATE

Smoothing continuous action

Extended release of 2 hyaluronic acids for continuous plumping action.

ACETYLATED VERY LOW MOLECULAR WEIGHT HYALURONIC ACID (SERUM)

SODIUM ACETYLATED HYALURONATE

Deep filling long-term action


Reduce wrinkles and resists against degradation for long-lasting action on the dermal volume.

HIGH MOLECULAR WEIGHT POLYGLUTAMIC ACID

SODIUM POLYGLUTAMATE

Protective moisturizing action

Protect hyaluronic acid against its natural degradation.



INTENSIVE HYALURONIC+ ANTI-WRINKLE SMOOTHING CREAM



50ML JAR

INDICATIONS

From age 25, as a 2-month program, several times a year.

INGREDIENTS

- Patented hyaluronic+ technology: 3 forms of hyaluronic acid + polyglutamic acid.
- Cellular Water technology.

GALENIC FORM


Rich, soft and fresh cream, velvety finish.

INSTRUCTION FOR USE

2x daily application (morning and evening), face and neck.

CLINICAL EFFICACY AFTER 28 DAYS

CHANGE IN WRINKLES⁽¹⁾



(1) Clinical evaluation under dermatological supervision, clinical scoring and photo of the best case, 31 women, aged 36 to 53, sensitive and dehydrated skin, 28 days of twice-daily application of INTENSIVE HYALURONIC+ CREAM (****p<0.0001, Student's test).

INTENSIVE HYALURONIC+ ANTI-WRINKLE REFRESHING EYE SERUM

INDICATIONS

From age 25, as a 2-month program, several times a year.

INGREDIENTS

- Patented hyaluronic+ technology: 3 forms of hyaluronic acid + polyglutamic acid.
- Acetyl tetrapeptide-5 biomimetic peptide.
- Caffeine.
- Cellular Water technology.

GALENIC FORM

Light, fresh texture, matte finish.


INSTRUCTION FOR USE

2x daily application (morning and evening), eye contour.

Ultra-cool zamac applicator to help reduce dark circles and puffiness.

CLINICAL EFFICACY AFTER 28 DAYS

CHANGE IN WRINKLES⁽¹⁾



15ML TUBE

(1) Clinical scoring, 30 women, aged 35 to 55, sensitive eye contour, after 28 days of twice-daily application of INTENSIVE HYALURONIC+ EYE SERUM (****p<0.0001, Wilcoxon test).

INTENSIVE HYALURONIC+ ANTI-WRINKLE LIP & CONTOUR CARE

• INDICATIONS

From age 25, as a 2-month program, several times a year.

• INGREDIENTS

Patented hyaluronic+ technology:
3 forms of hyaluronic acid
+ polyglutamic acid.
Anti-wrinkle peptide.
Cellular Water technology.

• GALENIC FORM


Melting, moisturizing balm texture.

• INSTRUCTION FOR USE

Morning and evening, or at any time of day, on lips, the lip contour and nasolabial folds.

CLINICAL EFFICACY AFTER 28 DAYS

CHANGE IN LIP CONTOUR WRINKLES⁽¹⁾



15 ML TUBE

⁽¹⁾ Use test under dermatological supervision, 32 women aged 40 to 60, sensitive, dehydrated skin on the face and lips and fine lines and wrinkles around the lips. Clinical scoring after 28 days of twice-daily use [Wilcoxon test for the lip contour (**): p<0.001, (**): p<0.0001, Student's test for the lips (*): p<0.05].

